## 38-IN.—46-IN. ROTARY MOWERS **ATTACHMENT TRACTOR EQUIPMENT** CODE NUMBER **SERIAL NUMBER** 110 Tractor (100,000-160,000) 112 Tractor (160,001-260,000) 112 Tractor (260,001- ) 110 Tractor (160,001-272,000 110 Tractor (40,001-100,000) 208 Tractor (70,001-95,000) (100,001-160, 210 Tractor (30,001 214 Tractor (30,001 216 Tractor (95,001 110 Tractor 38 Mower (A) E0038 BM15017 2,551- 40,000) E0038 BM15118 ( 40,001-100,000) 38 Mower (A) 39 Mower (A) (100,000-140,000) P P P P P P P P BM15150 E0661 39 Mower (A) E0661 BM15504 (140,001-190,000) P BM15751 P P 39 Mower (A) H039 (190.001 -P P P P P P 38-in. Mower (includes 0663M BM16291 (505,001-525,000) mounting parts) P P P P P P P 38-in. Mower (less attach- 0664M BM16385 (525,001-555,000) ing parts) (B) XXXXXXXXX 38-in. Mower (less attach- 0665M BM16600 (555,001ing parts) (C) PPPPPP 46-in. Mower (A) E0046 BM15140 2,551-100,000) (100,001-190,000) P P P 46-in. Mower (A) E0671 BM15151 P P P P 46-in. Mower (A) BM15753 (190,001-488,000) Р H047 $\mathbf{X} \mathbf{X}$ X 46-in. Mower (A) 0673M BM16252 (488,001

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the

110, 112, G100 Series, GT,

200 SERIES,

**GARDE** 

320, TRA

**AND GX SERIES** 

Adapter bundles needed for some applications are no longer available.

<sup>(</sup>B) - Requires BM16404 (P) Attaching Parts.

<sup>(</sup>C) - Requires BM16601 Attaching Parts.

																	770	JOL	.11,	 VVL	.1\ 1	 ,,,,	<u> </u>	IOL	<u> </u>	ING ATTACHMENTS	
													TF	RAC	TOF	₹										ATTACHMENT CODE NU	UMBER
110 Tractor ( -40,000)	110 Tractor (40,001-100,000)	110 Iractor (100,000-160,000) 110 Tractor (160,001-272,000)	110 Tractor (272,001- )	112 Tractor (2251-100,000)	112 Tractor (100,001-160,000)	112 Tractor (260,001- )	200 Tractor (30,001-70,000)	210 Tractor (30,001- )	212 Tractor (30,001- )	214 Tractor (30,001- )	208 Tractor (70,001-95,000)	216 Tractor (95,001- )															
Ħ	Ť,	<u> </u>	P		P P			P	PI	P	F	<del>-</del>														6-1/2 Bu. Grass Bagger (38-in. 2-Spindle Mower) (H)	M16662
					P F			P		P	1	P															M16512
					P F	P				P		P															M16512
								P	P	P	1	P															M16722
	]	P P	P		P F	P		P	P	P	1	P														MC519 Cart/Collection System (C) 3300M BM	M17424
	2	XX	X		ΧХ	X		X	X :	X	- 1	X														MC519 Cart/Collection System (C) 3300M BM	M18774
							P	P	P	P	P ]	P														Tricycler Mulch Attach. (38-in. 2-Spindle Mower) (I) BM	M17921
											X															Tricycler Mulch Attach. (38-in. 2-Spindle Mower) (I) BM	M19322
							X	X	X :	X :	X	X														Tricycler Mulch Kit (Fits Models 39 & 41 Mowers) (38- in. 3-spindle deck)	M17876
				X	ХУ	X			X	X	7	X														Tricycler Mulching Kit (Fits 46-in. Mowers with Hinged Discharge Deflector)	M19321
1							X	X	X :	X :	X	X															M10384
P	P ]	P P	P	P	P F	P	P	P	P	P	P ]	P														Leaf Mulcher (38-in. 3-Spindle Mower) (K)  All	M34454
		X	X	X	ΧХ	X		X	<b>X</b> :	X	7	X														Leaf Mulcher (46-in. Side-Discharge Mower)  Al	M34455
Ī											Т				П						T						

- (A) Requires 2-Spindle 38-in. Mower. When installing on tractor with 1987 or earlier 38-in. Mower ( -575000), a flexible hinged mower discharge chute (AM104575) must be obtained. When installing on a tractor with 1986 or earlier 38-in. Mower ( -555000), an AM104582 Draft Arm Kit must be obtained.
- (B) Power flow will fit 210 Tractor but is not recommended on this tractor since it may not have enough power.
- (C) Requires appropriate Blower and Chute. MC519 is not compatible on 300 Series Tractors with 38-in. Side-Discharge Mower and Blower Assembly or QT Blower Assembly.
- (D) 2701M Power Flow for 100 Series Tractors may be used. These are also needed: 1-AM100009 mounting bracket, 1-14H812 3/8-in. nut,1-19H1731 3/8x1-in. bolt, 2-19H1833 5/8x1-1/4-in. bolt, 2-14H821 5/8-in nut.
- (E) Mower must have hinged deflector; 47 Mower (190001- ) and 46-in. Mower (48001- ). Skid shoe may need to be removed from mower without front gauge wheels. Power Flow will not fit on 39 and 41 Mowers.
- (F) Power Flow will fit 112 (100001- ), 210 and 212 but is not recommended on these tractors since they may not have enough power.
- (G) 2701M (6-1/2 Bu. Power Flow) will fit 210-216 Tractors by ordering: 1-AM100009 Mounting Bracket, 1-14H812 3/8-in. Nut, 1-19H1731 3/8x1-in. Bolt, 2-19H1833 5/8x1-1/4-in. Bolt, and 2-14H821 5/8-in. Nut.
- (H) For these applications, BM16868 rear grass bagger for STX Tractors may be used. In addition, the following parts will be needed: 1-AM100009 mounting bracket, 1-14H812 3/8-in. nut, 2-14H821 5/8-in. nut, 19H1731 3/8x1-in. bolt, 2-19H1833 5/8x1-1/4-in. bolt, 2-M84472 medium lift blades.
- (I) Tractor must have a seat safety switch in good working order.
- (J) AM103841 includes 1-M72487 Plate, Mulcher; 2-3H2272 Bolt, Round Head, Short Square Neck; and 2-14H819 Nut, Forged Wing.
- (K) AM34454 consists of 1-M47045 Plate, 3-OH1893 Bolt, and 3-14H953 Wing Nut.

															;	SNO	)W	ТН	RC	W	ER	S A	NE	) FF	109	I TI	3L/	ADES			
														TRA	ACT	OR												EQUIPMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER
110 Tractor ( -15,000)	Tractor	110 Tractor (100,001-160,000)	110 Tractor (160,001-272,000)	110 Tractor (272,001- )	112 Tractor (2251-100,000)	112 Tractor (160,001-300,000)	112 Tractor (300,001- )	200 Tractor (30,001-70,000)		212 Tractor (30,001- )	214 Tractor (30,001- )	208 Iractor (70,001-95,000) 216 Tractor (95,001-																			
P I	_					P		_	Ì	-	Ì	1																36 Snow Thrower (A)	E0036	BM15003	( 2551-100,000)
P I	P	_			P P	,																						37 Snow Thrower	E0680	BM15161	(100,001- )
		P	P	P	P	P	P	P	P	P	P ]	P P																37A Snow Thrower (B)	E2102	BM15515	(110,001-127,000)
		P	P	P	P	P	P	P	P	P	P ]	P P																37A Snow Thrower (B)	E2102	BM15770	(127,001-300,000)
		P	P	P	P	P	P	P	P	P	P ]	P P																37A Snow Thrower	G37A	BM15844	(300,001-525,000)
		P	P	P	P	P	P	P	P	P	<b>P</b> ]	P P																37A Snow Thrower (C)	2103M	BM15844	(525,001- )
P I	P	P	P	<b>P</b> 1	P P	P	P																					42-in. Front Blade (D)	E0042	BM15005	(2551- )
P	P	P	P	<b>P</b>	P P	P	P																					42-in. Front Blade (D)	E0042	BM15103	( -100,000)
P	P	P	P	<b>P</b> 1	P P	P	P	P	P	P	<b>P</b> 1	P P																43 Front Blade (D)	E0691	BM15159	(100,001-114,500)
P	P	P	P	<b>P</b> 1	P P	P	P	P	P	P	<b>P</b> 1	P P																43 Front Blade (D)	U043	BM15517	(114,501- )
		P		P	P	P	P	P	P	P	P	P P																43C Center Blade	E0711	BM15629	(1011- )
		P	P	P	P	P	P	P	P	P	<b>P</b>	P P																Manual Angle Kit (E)		BM15148	
		P	P	P	P	P	P	P	P	P	<b>P</b>	P P																Manual Angle Kit (F)		BM15846	
													Ш			$\sqcup$										Ш					

<sup>(</sup>A) - Adapter bundles needed for some applications are no longer available. See "Equipment Adapter Parts" beginning on page L35-935-1.

<sup>(</sup>B) - Requires AM36054 (P) Kit when installing on 200 Series Tractors (30,001-

<sup>(</sup>C) - Requires 1-M47704 Sheave, 3-12M303 Washers (5/16-in.), 3-14H785 Nuts (5/16-in.), and 3-19H1906 Bolts (5/16 x 1 1/2-in.) when used on 200 Series Tractors (30,001-190,001).

<sup>(</sup>D) - Adapter bundles needed for some applications are no longer available. See Equipment Adapter Parts.

<sup>(</sup>E) - Requires AM35703 Control Rod Bracket when installing on 200 Series Tractors.

<sup>(</sup>F) - Requires AM31952 Control Rod Bracket when installing on 110 and 112 Series Tractors.

																						RO	TA	RY	TIL	LE	RS							
																TRAC	OR													EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMB	ER
110 Tractor ( -100,000)	10 Tractor (100,001-160,000)	10 Tractor (250,001-272,000)	110 Tractor (272,001-320,000)	110 Tractor (320,001- )	12 Tractor (100,001-160,000)	12 Tractor (160,001-250,000)	12 Tractor (250,001-260,000)	12 Tractor (260,001-300,000)	12 Tractor (300,001- )	00 Tractor (30,001-70,000)	10 Tractor (30,001- )	12 Tractor (30,001- )	14 Tractor (30,001- )	08 Tractor (70,001-95,000)	16 Tractor (95,001- )																			
P :	ь і Е <del>ў</del>	- F	ь <del>1</del>	Ы Ч Е <del>2</del>	) b	ъ <del>1</del>	Þ =	∓ : P	ь <del>2</del>	7	, v	'n	7	×	7	+++	+	-	+	-	-	+		H	+		+	+		30 Tiller (A)	E0030	BM15122	( 2551-100,0	00)
	PE	P P			_	_		P			1	_																	_	30 Tiller (A)	E0030		(100.001-	)
P :		P P			P P					P	P	P	P	P	P				T											31 Tiller (A)	E0701		(108,601-111,	,298)
<b>P</b> :	P I	P P	P	ΡI	P	P	P	P	P	P	P	P	P	P	P															31 Tiller (A)	E0701		(111,299-115,	
<b>P</b> :	P I	P P	P	PΙ	P	P	P	P	P	P	P	P	P	P	P															31 Tiller (A)	E0701	BM15762	(115,001-118,	,000)
<b>P</b> :	P I	P P	P	ΡI	P	P	P	P	P	P	P	P	P	P	P															31 Tiller (A)	F031	BM15818	(118,001-	)
					P	P	P	P	P		P	P	P		P															30-in. Hydraulic Tiller (less attaching parts) (B)	2682M	BM16392	(525,001-	)
											P	P	P		P															12-in. Tine Extension (C, D)	9107	BM16338		
											P	P	P		P															12-in. Tine Extension (C)	9120	BM16395		
<b>P</b>	P	P P	P	P	P	P			P																					8-in. Tine Extension (E)		BM15106		
P :		P			P					P					P															8-in. Tine Extension (E)		BM15156		
P :	P I	P	P	P	P	P	P	P	P	P	P	P	P	P	P															8-in. Tine Extension (E)		BM15513		

<sup>(</sup>A) - Adapter bundles needed for some applications no longer available. See "Equipment Adapter Parts" beginning on page L35-935-1.

<sup>(</sup>B) - Requires BM16394 (P) Attaching Parts. Minimum 10 hp tractor recommended. When tine extensions used, tractor may require more than 10 hp.

<sup>(</sup>C) - Use with 30-in. Hydraulic Tiller.

<sup>(</sup>D) - Requires M39007 Shaft. (E) - Use BM15106 with 30 Tiller. Use BM15156 with 31 Tiller ( -115000). Use BM15513 with 31 Tiller (115001-

FRONT THATCHERS, SPRAYERS, TOW-BEHIND ATT	TACHMENTS		
TRACTOR	EQUIPMENT/ATTACHMENT	CODE NUMBER	ATTACH- MENT SN
110 Tractor ( -100,000)   110 Tractor (100,001-160,000)   1110 Tractor (160,001-272,000)   110 Tractor (250,001-272,000)   112 Tractor (250,001-260,000)   112 Tractor (100,001-160,000)   112 Tractor (260,001-260,000)   112 Tractor (260,001-260,000)   112 Tractor (30,001-0)   112 Tractor (30,00			
	38-in. Thatcher	TY13056	
	8-in. Thatcher Tine Extension	TY13036	
	Thatcher Mounting Frame	TY13059	
	15 Gallon Sprayer, integral mountings	BM22219	
P P P P P P P P P P P P P P P P P P P	15 Gal. Sprayer, less mounting parts	BM22367	
P P P P P P P P P P P P P P P P P P P	Integral Mounting for 15 Sprayer	BM22369	
P P P P P P P P P P P P P P P P P P P	Wheel Kit for 15 Sprayer	BM22355	
P P P P P P P P P P P P P P P P P P P	15 Gal. Sprayer (2-wheel)	BM18472	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	25 Gal. Sprayer (2-wheel)	BM18473	
	15 Gal. Sprayer (2-wheel)	BM19478	
	25 Gal. sprayer (2-wheel)	BM19478	
	25 Gal. Portable Sprayer (No wheels)	BM19490	
	40 Gal. Sprayer (2-wheel)	BM20485	
	40-in. Tow-Behind Thatcherator (A)	BM19239	
	40-in. Tow-Behind Spiker Aerator	BM19240	
	40-in. Tow-Behind Plug Aerator	BM19240	'
	48-in. Tow-Behind Plug Aerator	BM19845	
	40-in. Tow-Behind Flug Actator 40-in. Tow-Behind Acrator/Spreader	BM19843	
	36-in. Tow-Behind Lawn Roller	BM19242	
	7 Utility Cart	BM17572	
	10 Utility Cart	BM17573	
	8HD Utility Cart (Heavy-Duty)	BM17575	
Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to	1		

(A) - TY13036 Thatcher Tine Extension available.

or M84064					s	WEIGI																	
P P P P P P P P P P P P P P P P P P P		NUMBER	NT	ATTACHMENT					R	АСТО	TR												
P P P P P P P P P P P P P P P P P P P											6 Tractor (95,001- )	8 Tractor (70,001-95,000)	4 Tractor (30,001-55,000)	2 Tractor (55,001- )	0 Tractor (55,001- ) 2 Tractor (30,001-55,000)	0 Tractor (30,001-55,000)	0 Tractor (30,001-55,000)	2 Tractor (260,001- )	2 Tractor (100,001-130,000)	7 Tractor (272,001- )	J Tractor (40,001-100,000)  Tractor (100,001-272,000)	Tractor (30,001-40,000)	120 CT 120 CT
P   P   P   P   P   P   P   P   P   P		DM15007	7-1-1-4	Enant End Wei							21	2 8	2 2	21	2 2	7	8 8	=	<del>;</del> ;	7 7	7	= =	ŗ
P   P   P   P   P   P   P   P   P   P					$\vdash$		+				D	, D	D D	, D	D D		D D	, D	D I	D D	D D		
P P P P P P P P P P P P P P P P P P P							$\perp$				Р	' P	PP	P	PP	P	PP	' P	PI			P	1
P   P   P   P   P   P   P   P   P   P							$\bot$		_														
P   P   P   P   P   P   P   P   P   P											P	' P	PP	P	PP	P	PP	P	PI		P		
																						P	
P																		P	PI	P	P P		
P											P	P	P P	P	P P	P	P P						
P   P   P   P   P   P   P   P   P   P		BM15013																				9	E
P   P   P   P   P   P   P   P   P   P																				P		P	
P P   P P P P P P P P P P P P P P P P		BM15134	l Weights	Front Wheel V														•	PΙ		P P		
P P   P P P P P P P P P P P P P P P P		BM15708	l Weights	Front Wheel V										P	P P	P	P P	P		P			
P   P   P   P   P   P   P   P   P   P		BM15180										1 1						,	PΙ		P P		
P P P P P P P P P P P P P P P P P P P														P	P P	P	P P	P		P			
	BM16136	AM104094,BM or M84064	l Weight (A)								P	P	P P						I				
			l Weight (Oty. 1) (B)	30 lb. Wheel V							P	P	PΡ	P	P P	P	PΡ	P	1				
P P P P P P P P P P P P P P P P P P P							++			++	X	X	XX	X	XX	X	XX	X	3				
P P P P P P P P P P P P P P P P P P P		AM104092, I or M11028(A)	Weights (C)								P	P P	P P	P	P P	P	PP	P	PI	P P	PP	P	E
P P P P P P P P P P P P P P P P P P P				Two Rear Whe					++	++	P	P	P P	Р	P P	P	PΡ	P	PΙ	+	ΡР		
X X X X X X X X X X X X X X X X X X X							+		+	+	P	) P	PP	P	PP	P	PP	P	PI	-			
PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP				50 lb. Cast-Ire																XX		X	X
[[1]]		RM16057	Weight (Plastic) (75 lb.)				+	+			p	) p	p p	P	p p	P	p D	P	ΡI	p p	рρ	) p	Г
P P P P P P P P P P P P P P P P P P P		AM104097	Weight (Plastic) (75 lb.)								P	PP	P P	P	P P	P	P P	P	PI	PP	PP	PP	F
X X X X X X X X X X X X X X X X X X X			tic Wheel Weight (Qty. 1)								X	X	XX	X	XX	X	XX	X	ХУ	XX	XX	X	×

<sup>(</sup>A) - Requires AM105142 wheel weight mounting hardware kit (B) - Requires BM17978 wheel weight mounting hardware kit.

<sup>(</sup>C) - Requires AM105139 wheel weight mounting hardware kit for each wheel.
(D) - Requires BM17985 wheel weight mounting hardware kit, or requires BM17977 mounting hardware for attaching TWO 50 lb. weights to one wheel.

																										TIF	RE	CI	HA	IN:	S, I	LIF	T	ΚIΊ	ΓS				
																	T	RA	CT	OF	₹_																 ATTACHMENT	NUMBER	
Tractor	110 Tractor (15,001-30,000)	110 Tractor (40,001-100,000)	110 Tractor (100,001-272,000)	110 Tractor (130,001-160,000)	110 Tractor (160,001-185,000)	110 Tractor (185,001-260,000)	110 Tractor (260,001-272,000)	110 Tractor (272,001-	112 Tractor (2551-15,000)	112 Tractor (15,001-100,000)	112 Tractor (100,001-130,000)	112 Tractor (130,001-160,000)	112 Tractor (160,001-185,000)	112 Tractor (185,001-260,000)	112 Tractor (260,001-272,000)	112 Tractor (272,001-	200 Tractor (30,001-55,000)	200 Tractor (55,001-70,000)	210 Tractor (30,001-55,000)	210 Tractor (55,001- )	212 Tractor (30,001-55,000)	212 Tractor (55,001- )	214 Tractor (30,001-55,000)	214 Tractor (55,001- )	208 Tractor (70,001-95,000)	216 Tractor (95,001- )													
	P																																				Tire Chains (6 x 12 Tire)	BM15004	-
	X	X	X				X			X	X		X		X																						Tire Chains (6 x 12 Tire)	AM30968	3
$\exists$	P				P	P	P	P	P	P	P	P	P			P	P	P	P	P	P	P	P	P	P	P											Tire Chains (8 x 12 Tire)	AM30969	,
<b>P</b> 1	P P	•																																			Tire Chains (8 x 12 Tire)	BM15018	,
	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X											Tire Chains (23 x 8.5-12 Tire)	TY15841	
			P		P	P	P	P		P	P		P	P		P	P	P	P	P	P	P		P	P	P											Tire Chains (23x10.50-12 Tire)	AM31825	;
		P	P	P	P	P	P	P		P	P	P	P	P	P	P				P	P	P	P	P	P	P											Tire Chains (23x10.50-12 Tire)	TY15267	
		X	X	X	X	X	X	X		X									X	X	X	X	X	X	X	X											Tire Chains (23 x 10.50-12 Tire)	TY15845	
		X	X		X		X	X						X	X	X									X												Tire Chains (23 x 10.50-12 Tire)	TY15956	
					P	P	P				P	P	P	P																							Helper Spring (Manual Lift) (AM31823 subs AM34613)	to AM31823	
								X							X																						Helper Spring (Manual Lift)	AM34613	
								X							X																						Helper Spring (Electric Lift)	AM34615	
																	X	X	X	X	X	X	X	X	X	X											Helper Spring	AM36006	
			P	P	P	P	P				P	P	P	P	P																						Front Lift Kit	AM32387	
								X											X						X	X											Front Lift Kit	AM36181	
																	P			P			P														Electric Lift Kit (BM15885 subs. to BM15983)	BM15885	
																	P		P						P												Electric Lift Kit	BM15983	
																							P			P											Hydraulic Lift Kit (A)	BM15821	
								_						_	_		P	P	P	P	P	P	P	P		P											Hydraulic Lift Kit	BM16053	
_		_		1		Ш		P				_	_	P	P	_	_	_				_	_							_	_		_	1	1	-	Rear Lift Kit	BM15763	
_																															_			1	L	<u> </u>			
		_			Ш																													1					
																																					le to be built from parts stock. Blank - Attachment not ap,		

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machin (A) - Use of BM15821 may require an M38165 Hydraulic Adapter Kit.

													HI.	TC	H	ES	S, I	PT	O	Κľ	TS	, L	IGH	łΤ	KI	ГS	, <b>v</b>	Æ	ΑTI	ΗE	R E	EN(	CL	os	UF	RE	s, ·	TR	AC	TC	DR	C	OVERS	
																				1	ΓR	ACT	OR																				ATTACHMENT	NUMBER
110 Tractor ( -15,000) 110 Tractor (15,001-40,000)	110 Tractor (40,001-100,000)	110 Tractor (100,001-130,000)	110 Tractor (130,001-160,000)	110 Tractor (160,001-185,000)	110 Tractor (185,001-260,000)	110 Tractor (260,001-272,000)	110 Tractor (272,001- )	112 Tractor (2551-15,000)	112 Tractor (15,001-100,000)	112 Tractor (100,001-130,000)	112 Tractor (130,001-160,000)	112 Tractor (160,001-185,000)	112 Tractor (185,001-260,000)	112 Tractor (260,001-272,000)	112 Tractor (272,001- )	200 Tractor (30,001-70,000)	210 Tractor (30,001- )		214 Tractor (30,001- )	208 Tractor (70,001-95,000)	216 Tractor (95,001- )																							
P P																																											Hitch Extension	BM15019
P	P							<b>P</b>	P																																		Integral Hitch	BM15010
		P	P	P	P	P				P	P	P	P																														Integral Hitch	BM15157
							P							P	P	P	P	P	P	P	P																						Integral Hitch	BM15764
P	P							I	Р																																		540 PTO	BM15022
			P								P																																541 PTO	BM15175
				P	P	<b>P</b> ]	P					P	P	P																													541-A PTO	BM15512
																P	P	P	P	P	P																						541-A PTO	BM15856
						P ]	P							P	P																												Heavy-Duty Air Cleaner	AM34265
	P	P	P	P	P			I	P ]	<b>P</b> :	P	P	P																														Limited Slip Differential	AM31968
PP																																											Light Kit	BM15020
		P						I	_	P																																	Light Kit (A)	AM30947
		P							]	P																																	Light Kit	AM31725
			P	P	P	P ]	P				P	P	P	P	P																												Light Kit	AM32015
																				P																							Light Kit	AM36960
		P	P	P	P	<b>P</b> ]	P		]	<b>P</b> :	P	P	P	P	P	P	P	P	P	P	P																						Weather Enclosure	TY15075
PP						T																														T							Protective Cover	BM15006
	P							P I	Р																																		Protective Cover	AM31128
		X	X	X	X	X :	X			X	X	X	X	X	X	X	X	X	X	X	X																						Protective Cover	AM31711
XX	X	X	X	X	X	X :	X	X	X :	X	X	X	X	X	X	X	X	X	X	X	X				Ì	1														1			Economy Protective Cover	M131120

<sup>(</sup>A) - Requires AM30988 Fuse.

MISCELLANEOUS ATTACHI	MENTS	
TRACTOR	ATTACHMENT	NUMBER
110 Tractor ( -30,000) 110 Tractor (30,001-40,000) 110 Tractor (40,001-100,000) 110 Tractor (100,001-272,000) 110 Tractor (272,001- ) 112 Tractor (260,001- ) 112 Tractor (100,001-55,000) 112 Tractor (30,001-55,000) 200 Tractor (30,001-55,000) 210 Tractor (30,001-55,000) 211 Tractor (30,001-55,000) 212 Tractor (30,001-55,000) 214 Tractor (30,001-55,000) 215 Tractor (55,001- ) 216 Tractor (55,001- ) 217 Tractor (55,001- ) 218 Tractor (30,001-55,000) 219 Tractor (30,001-55,000) 210 Tractor (30,001-55,000) 211 Tractor (30,001-55,000) 212 Tractor (30,001-55,000) 214 Tractor (55,001- ) 215 Tractor (55,001- ) 216 Tractor (55,001- )		
	Rubber Mat Kit	Use M41395, M41396, and M41397
	Rubber Mat Kit	AM32371
	Rubber Mat Kit	AM36058
	Hood Latch Kit	AM36578
	High Torque Starter	AM34888
	Spark Arrester Screen for Muffler	AM37086
	Spark Arrester Screen for Muffler	AM37235
	Foot Tread Kit	AM37232; Sub-M81638, M81639 Mat
X X X X X X X X X X X X X X X X X X X	Battery Charger	AM36786
	Hourmeter, Round	AM103392
	Front Wheel Cover, 8-in., Chrome	M42183
	Front Wheel Cover, 8-in., Chrome	M150362
	Rear Wheel Cover, 12-in., Chrome	M42184
	Rear Wheel Cover, 12-in., Chrome	M150364
	Front Wheel Cover, 8-in., Yellow Plastic	M96337
	Rear Wheel Cover, 12-in., Yellow Plastic	M114663
Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment migl	nt be able to be built from parts stock. Blank - Atta	chment not applicable to the machine.

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine (A) - A total of four springs can be installed to adjust for operator comfort.

## **G SERIES GARDEN TRACTORS**

		RO	OTARY MOWERS, EQUIPMEN	Т		
	TRACTOR	EQUIPM	IENT	CODE	NUMBER	ATTACH. SERIAL NUMBER
G110 Tractor (010,001-						
[   e						
Lia						
<del>                                    </del>						
	<del></del>	54 in C	omplete Mower Deck		BG20263	
	<del>-                                     </del>		omplete Mower Deck		BG20203 BG20302	
	<del>-                                     </del>		Tulch Kit		BM19919	
	<del>-                                     </del>		Tulch Kit		BM20304	
	<del>-                                     </del>		I. Power Flow for 54-in. mower (A)		BM19924	
X	<del>-                                     </del>		Power Flow for 54-in. mower (A)	0950GX	BM21376	
			ront Blade		BM19921	
X			ront Blade		BM20020	
			now Thrower	3621M	BM19922	
X		42-in. Si	now Thrower	0422GX	BG20019	
		30-in. M	lechanical Drive Rotary Tiller	3265M	BM20130	
XX		15 U.S.	Gallon Tow-Behind Sprayer		BM19478	
XX		25 U.S.	Gallon Tow-Behind Sprayer		BM19479	
XX			Gallon Tow-Behind Sprayer		BM20485	
XX			Gallon Portable Sprayer		BM19490	
XX			hatcherator		BM19239	
XX			in. Lawn Roller		BM19243	
XX			piker Aerator		BM19240	
XX			ug Aerator		BM19241	
XX			ug Aerator		BM19845	
XX			erator/Spreader		BM19242	
PP			roadcast Spreader		TY25383	
XX			roadcast Spreader		TY25010	
XX			Broadcast Spreader		TY25011	
XX			Broadcast Spreader		TY25012	
P		7 Utility			BM17572	
PP		10 Utilit			BM17573	
XX		10S Util			SKU21511	
XX		16S Util			SKU21512	
XX			ly" Utility Cart		SKU21513	
XX		13 Utilit	y Cart rom factory; however, attachment might be		SKU21514	

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.

(A) - BM19924 and BM21376 include everything needed: 6-1/2 bu. hopper, Power Flow Blower, and Power Flow Chute.

										ATTACHMENTS, MISCELLA	NEOUS		
				TR	AC	TOR				EQUIPMENT	CODE	NUMBER	ATTACH. SERIAL NUMBER
G100 Tractor (010,001- )											0002	Nomber	AT FACIL SERVICE ROMBER
) X			+					+		Rear Weight Bracket (A)		BG20022	
У										Quik-Tatch Weight, 42-lb. (boxed) two (A)	required	BG20029	
ΧX	(									75-lb. Plastic Rear Wheel Weight (1) (2	req.) (A)	BM19928	
ХХ	(									Front Wheel Weights (Set of 2)	• • • • • • • • • • • • • • • • • • • •	BG10189	
X										Rear Tire Chains (24x12-12) (Set of 2)		BM19927	
Σ	(									Rear Tire Chains (23x10.50-12) (Set of	2)	BM15956	
X										Sleeve Hitch		BM19920	
Σ	(									Sleeve Hitch		BM21449	
Σ	K									Front Bumper		BG20016	
Σ	K									Sun Canopy		BG20260	
Σ	K									Grab Light Kit		BM21423	
XX	K									Battery Charger (110 Volt)		AM36786	
XX	(									Protective Cover		AM102453	
ΧX										Economy Protective Cover		M131120	
ΧX	K									8-in. Chrome Wheel Cover w/JD logo		M150362	
ХХ	(									12-in. Chrome Wheel Cover w/JD logo		M150364	
ХХ										8-in. Yellow Plastic Wheel Cover		M96337	
ХХ										12-in. Yellow Plastic Wheel Cover		M114663	

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine. (A) - The Rear Weight Bracket/42-lb. Quik-Tatch Weights and the Rear Wheel Weights should not be used at the same time. The transmission could be damaged.

## 200 SERIES, 320, 325, 335, 345, 355D, GT SERIES AND GX SERIES GARDEN TRACTORS

																			3	38-I	N	-46	6-IN	I. R	ОТ	AR۱	/ MC	)WE	ERS				
														TRA	ACT	OR													Е	QUIPMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER
Tractor	245 Tractor (150,001- )	260 Tractor (475,001-130,000) 265 Tractor (475,001- )	285 Tractor (475,001-130,000)	320 Tractor (130,001- )	GT242 Tractor (25,001-45,000)	GT262 Tractor (010,001-45,000)	GT262 Tractor (45,001- )		GT225 Tractor (010,001- )	GT235 Tractor (10,001-110,000)	GT235 Tractor (110,001- )	3T235 EOE Tractor (060,001-)	GT245 Tractor (060,001-110,000)	G1245 Iractor (110,001- )	335 Tractor (010,001- )		355D Tractor (010,001- )	5.X.255   Factor (1.20,001- )	GX325 Tractor (105,001- )	GX335 Tractor (105,001-120,000)	GX345 Tractor (105,001-120,000)	GX345 Tractor (120,001- )	GX355 Tractor (105,001-120,000)	GX355 Tractor (120,001- )									
		P P				0 0			1			0		9 6	) es	<u>ب</u>	<u>ب</u>	9		9 0						+			3	8-in. Mower		AM105404	
$\dashv$					P	PΙ	P P	P																			t		3	8-in. Mower (A)		AM116069	
P	P	P P	P	P																									3	8-in. Mower		AM118553	
X	X :	X X	XX	X																									3	8-in. Mower		BM18364	
					P	PI	P P	P	P	P				F	P	P	P												3	8-in. Mower (A, B, C)		BM18358	
					X	ΧX	X	X	X	X		X	X	Σ	X	X	X		X	X	X		X						3	8-in. Mower (A, B, D)		SKU19943	
									X	X		X							X	X	X		X							2C Convertible Mower (42-in.) B)		SKU19671	
									X	X		X	X																F	Freedom42 Mulching Mower 42-in.) (E)		SKU20464	(M042MAA011501-)
					P	P I	P	P																					4	4-in. Piranha Mulching/Rear Discharge Mower		BM18105	
					P	P	P	P	P	P	P	P	P	P I	P	P	P		P I	P	P		P						4	4-in. Piranha Mulching/Rear Discharge Mower (A, B)		BM18366	
					X	X	X	X	X	X	X	X	X	Х	X	X	X	X	X	X	X		X						4	4-in. Piranha Mulching/Rear Discharge Mower (A, B)		SKU19952	
X	X	X X	X	X																									4	6-in. Mower		AM105398	

<sup>(</sup>A) - When 38-in. mower is used on GT262 ( -450001), front tires may rub mower at axle oscillation.

<sup>(</sup>B) - Cartoned mower does not include front draft arm assembly. It is included with 1995 and later tractors. Order from Tractor Parts if needed.

<sup>(</sup>C) - Requires M117608 Primary Belt for use on GT225, GT235, 325-355D Tractors.

<sup>(</sup>D) - Requires M77988 Primary Belt for use on GT242, GT262, GT275 Tractors.

<sup>(</sup>E) - Freedom42 is not recommended for 300 and GX Series because of their higher horsepowers and greater likelihood that customers will use them in difficult mowing conditions.

																			_	<b>18</b> -	IN.		54-l	IN.	RC	TA	ARY	M	OWERS			
												TI	RAC	сто	R														EQUIPMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER
240 Tractor (475,001- )	245 Tractor (150,001- )	265 Tractor (475,001-130,000)	285 Tractor (475,001-130,000)	320 Tractor (130,001- )	GT262 Tractor (25,001-45,000) GT262 Tractor (010,001-45,000)	GT242 Tractor (45,001-	GT262 Tractor (45,001- )	GT225 Tractor (010,001- )	GT235 Tractor (10,001-110,000)	GT235 Tractor (110,001- )	G1235 EOE Tractor (060,001-) GT245 Tractor (060,001-110,000)	GT245 Tractor (110,001- )	325 Tractor (010,001- )	335 Tractor (010,001- )	345 Tractor (010,001- )	333D Tractor (010,001- ) GX255 Tractor (120,001- )	GX325 Tractor (105,001- )	GX335 Tractor (105,001-120,000)	GX335 Tractor (120,001- )	GX345 Tractor (103,001-120,000)	GX355 Tractor (105.001-120.000)	GX355 Tractor (120,001- )										
	PI	P F	P P	P	Ť	Ħ		Ť	Ť			Ť	17	**	Ť	·   -	Ť			Ť	Ţ	Ť							48-in. Mower		AM115728	
					P P	P	P F	)																					48-in. Mower		AM118160	
P	PΙ	P F	P	P																									48-in. Mower		AM118297	
					P P																								48-in. Mower (C)		AM115758	
					P P	P	P F	)																					48-in. Side-Discharge Mower		AM119267	
	P		P																										48-in. Side-Discharge Mower		AM119255	
X	X	X	X																										48-in. Side-Discharge Mower		BM18365	
				7	XX	X	XX																						48-in. Side-Discharge Mower (A)		BM18362	
									X		XΣ				X			X	_	X	Σ		Ш						48-in. Side-Discharge Mower (A, E)		BM18361	
								_	P		P F			_		P		P		P	F								48C Convertible Mower, 48-in. (A, G)		SKU19118	
								X	X	X	XΣ	X	X	X	X	XΣ	X	X	X	$X \mid \overline{X}$	XΣ	X							48C Convertible Mower, 48-in. (A)		SKU21354	
	P	?   F	P	P																									50-in. Mower		AM105407	
								P	P		P F				<b>P</b> 1			P		P	F								54-in. Side-Discharge Mower (A, F)		BM18363	
								X	X		X X			X	X			X		X	Σ		Ш						54-in. Side-Discharge Mower (A, F)		SKU19807	
											P F					F			P										54C Convertible Mower, 54-in. (A, F)		SKU20866	
								X	X	X	XΣ	X				Σ	X	X	X :	X Z	X	X							54C Convertible Mower, 54-in. (A, F)		SKU21394	

<sup>(</sup>A) - Cartoned mower does not include front draft arm assembly. It is included with 1995 and later tractors. Order from Tractor Parts if needed.

<sup>(</sup>B) - Remove M13513 Right-Hand Mid-Mower Deck Upstop from GT225 and GT235 Tractors. Installation of BM18366 on GT225 or GT235 may require trimming or purchase of new deflector.

<sup>(</sup>C) - Adapter bundles needed for some applications are no longer available.

<sup>(</sup>D) - Requires AM115480 Sheave Kit, 19H3415 Capscrew, and AM120007 Gauge Wheel Arm.

<sup>(</sup>E) - Requires M118684 Primary Belt. Also requires AM117017 LH Rear Gauge Wheel Arm due to interference with tractor tire.

<sup>(</sup>F) - GT225 may be power limited with 54-in. mower

<sup>(</sup>G) - SKU19118 48C Mower is not shown compatible with 2004 model year tractors because mower wheel brackets may rub 12x12x24-in. rear tires.

																					RC	)TA	۱R۱	/ N	10	WE	R A	٩C	CE	SS	ES	
														•	TR	AC1	OR														MEN	RIAL NUM-
240 Tractor (475,001- )	245 Tractor (150,001- )	260 Tractor (475,001-130,000)	265   ractor (475,001- )	285   ractor (475,001-130,000)	320 Tractor (130,001- )	X GT262 Tractor (010,001-45,000)	GT242 Tractor (45,001- )	GT262 Tractor (45,001- )		GT225 Tractor (010,001- )	GT235 Tractor (10,001-110,000)	GT235 Tractor (110,001- )	G1235 EUE Tractor (060,001-)	GT245 Tractor (110,001-	325 Tractor (010,001- )	335 Tractor (010,001- )	345 Tractor (010,001-	355D Tractor (010,001- )	GX255 Tractor (120,001- )	GX325 Tractor (105,001- )	GX335 Tractor (120,001- )	GX345 Tractor (105,001-120,000)	GX345 Tractor (120,001- )	GX355 Tractor (105,001-120,000)	GX355 Tractor (120,001- )							
X	X	X	X	X	ХУ	X	X	X	X	X	X	2	ХУ	K	X	X	X	X		ХУ	ζ	X		X							nti-Wrap Knife (38-in. Side-Discharge AM103544 [ower)	
X	X	X I	X	X Z	XΣ	X	X	X	X	X	X	2	ХУ	Κ	X	X	X	X		ХΣ	ζ	X	-	X							ip Kit (Left) for 38-in. Side-Discharge AM103851 [lower (A)	
X	X	X	X	X	ХУ	X	X	X	X	X	X	2	ХУ	ζ	X	X	X	X		ХУ	ζ.	X		X							lower Lip Kit (Right rear) for 38-in. Side-AM103852 ischarge Mower (A)	
X	X :	X :	X	X	XΣ	X	X	X	X	X	X	2	XΣ	ζ	X	X	X	X		ΧУ		X		X							AM108476	
	X I											]	P I	)	P	P	P	P		P I		P		P							eaf Mulcher Plate Assembly, 38-in. Mower AM103841	
X	X	X	X	X	X	X	X	X	X	X	X	2	ХУ	K	X	X	X	X		ХУ	ζ.	X		X							ront Edge Kit (48-in. Side-Discharge BM17870 [lower)	
X	X	X	X	X	ХУ	X	X	X	X	X	X	2	XΣ	ζ.	X	X	X	X		ХΣ	ζ.	X		X							ear Lip Kit, 1992 & Prior 48-in. Side-Dis- narge Mower	
X	X	X	X	X	ХУ	X	X	X	X	X	X	2	ХУ	ζ.	X	X	X	X													ear Lip Kit, 1992 & Prior 54-in. Side-Dis- AM115596 narge Mower	
	1	t	T	T			t	l	İ	X	X	X	XΣ	X	X	X	X	X	X	ΧУ	X	X	X	X	X						eaf Bagging Kit for 48C Mower (C) BM19894	
		T	T	T			T							X						ΧУ		X			X						eaf Bagging Kit for 54C Mower (C) BM20985	
	_	_			_	1	1	1_	<u> </u>		$\sqcup$		_	$\perp$	_	1		$\sqcup$	_			_		1_	1			_	_			
		7)	$\perp$	$\downarrow$			<u></u>	<u> </u>	L.		Ļ	1			<u> </u>			Ļ			., ,			<u> </u>		Ļ			<u> </u>		t be able to be built from parts stock. Blank - Attachment not applicable	1

<sup>(</sup>A) - Increases vacuum and reduces mower blow-out.

<sup>(</sup>B) - AM103841 includes 1-M72487 Plate, Mulcher; 2-3H2272 Bolt, Round Head, Short Square Neck; and 2-14H819 Nut, Forged Wing.

<sup>(</sup>C) - Recommended to reduce mower blow-out when bagging leaves.

																	M	٩TI	ΞR	IAI	L C	OL	LE	EC	TIC	10	I S	YS	TEI	ИS	(R	ΕA	١R	BAGGER)		
															TR	AC	то	R																ATTACHMENT	CODE	NUMBER
240 Tractor (475,001-	245 Tractor (150,001- )	260 Tractor (475,001-130,000)	285 Tractor (475,001-130,000)	320 Tractor (130,001- )	GT242 Tractor (25,001-45,000)	GT262 Tractor (010,001-45,000)	GT242 Tractor (45,001- )	GT262 Tractor (45,001- )	GT275 Tractor (45,001- )	GT225 Tractor (010,001- )	GT235 Tractor (10,001-110,000)	GT235 Tractor (110,001-	GT235 EOE Tractor (060,001-)	GT245 Tractor (060,001-110,000)	GT245 Tractor (110,001- )	325 Tractor (010,001- )		345 Tractor (010,001- )	355D Tractor (010,001- )	GX255 Tractor (120,001- )	GX325 Tractor (105,001- )	GX335 Tractor (105,001-120,000)	GX345 Tractor (105 001-120 000)	GX345 Tractor (100,001-120,000)	GX355 Tractor (105 001-120 000)	CX555 Hackel (105,001-120,000)	GA355 Iractor (120,001- )									
P	_	P F	P P	P	P	P	P	P	P							P	P	<b>P</b> :	P			P	_	P	F	_								6-1/2 Bu. Grass Bagger (38-in. Mower only)		BM16721
P		P F				P		P						P		P	P	P	P	P	P ]	P I	? ]	P ]	P ]	P	P							7 Bushel Hopper Assembly (A)		BM18675
X	X	XΣ	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X :	X	X	X	X	<b>X</b> 2	X	X	ζ.	X							7 Bushel Hopper Assembly (A)		BM20456
P	P	P F	P	P	P	P	P	P	P	P	P			P		P	P	P	P		P	P	]	P	F	)								Rear Bagger Chute (7 Bushel) for 38-in. Side- Discharge Mower (B)	-	BM19844
P	P	P F	P	P	P	P	P	P	P	P	P		P	P		P	P	P	P		P	P	]	P	F	)								Rear Bagger Chute (7 Bushel) for 38-in. Side- Discharge Mower (B)	-	BM20398
X	X	ХХ	X	X	X	X	X	X	X	X	X		X	X		X	X	X	X	1	X	X	2	X	2	X								Rear Bagger Chute (7 Bushel) for 38-in. Side- Discharge Mower (B)	-	BM20982
										X	X		X	X							X	X	2	X	2	X								Rear Bagger Chute (7 Bushel) for 42C Convertible Mower (42-in.) (B)		BM19649
										X	X		X	X																				42C Chute Bracket Kit (for BM19649 Chutes built prior to June 1999)		AM129703
	$\dashv$	+	+	-	-	$\vdash \vdash$	-									-	$\dashv$	$\dashv$	$\dashv$			+	-	-	+	-	+	+		-	$\vdash$					
$\vdash$	$\dashv$		+		+											_	+	+										+	-	1						1
							t										1	1		1	1		T			1										1
							t										1	1		1	1		T			1										1
			İ																ĺ							T		İ								
																	T	T	İ																	

<sup>(</sup>A) - Requires appropriate Rear Bagger Chute. See this page and this section for Tractor and Rear Bagger Chute and Mower section for compatibility and requirements. 42C Convertible Mower is NOT compatible with GT242, GT262, GT275 and 325 - 355D Tractors.

(B) - NOT for use with Power Flow Blower Assembly.

																M	AT	ER	IAL	. C	OL	LLE	EC.	TIOI	N S	YS1	ΓΕΝ	IS (	OWER FLOW)	
													TF	RAC	то	R													ATTACHMENT CODE N	NUMBER
Tractor	245 Tractor (150,001- ) 260 Tractor (475,001-130,000)	265 Tractor (475,001- )	285 Tractor (475,001-130,000)	320 Tractor (130,001- )	GT242 Tractor (25,001-45,000)	GT242 Tractor (45,001- )	GT262 Tractor (45,001- )	GT275 Tractor (45,001- )	GT225 Tractor (010,001- )	GT235 Tractor (10,001-110,000)	GT235 FOE Tractor (060.001-)	GT245 Tractor (060,001-110,000)	GT245 Tractor (110,001- )	325 Tractor (010,001- )		345 Tractor (010,001- )	GX255 Tractor (120,001- )	GX325 Tractor (105,001- )	GX335 Tractor (105,001-120,000)	GX335 Iractor (120,001- )	0.00.45 Tractor (100,001-120,000)	GA345 Tractor (120,001- )	GA355 Tractor (105,001-120,000)	ל ביסייסם וומכיסו (ובסייסם ב						
P	P P					P P		P	P	P	F	) P		P	P	P I	_	P	P		P		P						6-1/2 Bu. Power Flow (A) 2705M E	BM16722
P	P P	P	P	P	P I	P	P	P	P	P 1	P P	P	P	P	P	P F	P	P	P	P ]	Р	P	P :	P					MC519 Cart/Collection System (A) 3300M E	BM1742
X	XX	X	X			ΧX					X X		X	X	_	ΧХ			X		X :		X Z						MC519 Cart/Collection System (A) 3300M E	BM18774
P	P P	P	P	P	P I	P	P	P	P	P ]	P F	P	P	P	P	P F	P	P	P	P ]	P	P :	<b>P</b> :	P						BM18675
X	X X					ΧX		X	X	X Z	X X	X	X	X	X	ΧУ	X	_			X :		X Z							BM20456
			i i						X	X Z	X X	X	X	X	X	ΧХ	X	X	X	X	X :	X :	X Z	X						BM20670
X	X X	X	X	X :	ΧУ	X	X	X	X	X	Х	X		X	X	ΧХ	ζ.	X	X	2	X	,	X							BM16659
			i i																										QT Blower Assembly for 38-in. Side-Dis. Mower (D)	BM18770
X	XX	X	X	X :	ΧУ	XX	X	X	X	X	Х	X		X	X	ΧХ	ζ.	X	X	2	X	,	X						Blower Assembly for 48-in. Side-Dis. Mower (B)	BM19089
											P F	P	P	P	P	P F	P		P	P ]	P			P						BM1943
									X	X	X X	X	X	X	X	ΧУ	X	X	X	X	X :	X :	X						48C HP Blower Assembly for 48C Mower (H)	BM2066
									X	X	Х	X		X	X	XΣ	ζ.	X	X	2	X		X						Blower Assembly for 54-in. Side-Dis. Mower (H)	BM1909
											XX	X	X	X	X	ХХ	X	X	X	X	X I	X	X	X					•	BM20668 BM21493
X	XX	X	X	X	ХΣ	X	X	X	X	X	Х	X		X	X	XX		X	X	2	X	2	X							BM1885 BM2098
T									X	X Z	X X	X	X	X	X	X X	X	X	X	X	X Z	X Z	X Z	X					7 Bu. Power Flow Chute for 48C, 54C HP Blowers	BM2085
T									X	X	XX	X	X	X	X	XX	X	X	X	X	X	X Z	X C	X					14 Bu. Power Flow Chute for 48C, 54C HP Blowers	BM20773

- (A) Requires appropriate blower and chute. MC519 is not compatible on 300 Series Tractors with 38-in. Side-Discharge Mower and Blower Assembly or QT Blower Assembly.
- (B) See Price Pages, Mower Section, and this section for correct Power Flow Blower Assembly and Chute compatibility and requirements. Use BM16456 Blower and BM18851 Chute with 46-in. Mower.
- (C) Requires BM18851 Power Flow Chute for 7 Bushel Hopper Assembly, or BM17576 Power Flow Chute for MC519 (not for 300 Series). BM16659 Blower Assembly for 38-in. Side-Discharge Mower is also compatible with 6-1/2 Bu. 2-Bag Bagger Hopper Assembly using BM16674 Discharge Chute.
- (D) QT Blower Assembly for 38-in. Mower is NOT compatible with GT's, 300, and non-current tractors due to interference with tractor tires.
- (E) Requires BM18851 Power Flow Chute for 7 Bushel Hopper Assembly or BM19695 Power Flow Chute for MC519.
- (F) 48C and 54-in. Mowers are not compatible with GT242, GT262, and GT275.
- (G) Requires correct Power Flow Chute for C Series Blower: 2-Bag = BM20857, 3-Bag = BM20773, MC519 = BM20855.
- (H) 48C Mowers built before April 2002 may need 1/2-in. hole drilled for installing BM20667 48C HP Blower. See Service Information Bulletin 02-11-45-7 for detailed instructions.
- (I) 48C Mowers built after April 2002 may need slot added for installing BM19439 and BM20523 QT Blower. See Service Information Bulletin 02-11-45-7 for detailed instructions.
- (J) BM20668 54C HP Power Flow Blower requires AM133822 Wheel Adjusting Pin for installation on model year 2004 54C Mower Decks that are shipped on 2004 Tractors or as a SKU21394 cartoned 54C Mower

																					N	ИU	LC	HII	NG	SY	ST	ΕM	S				
														TRA	CTC	DR															ATTACHMENT	CODE	NUMBER
240 Tractor (475,001- )	245 Tractor (150,001- )	260 Tractor (475,001-130,000)	285 Tractor (475,001-130,000)	320 Tractor (130,001- )	GT242 Tractor (25,001-45,000)	GT242 Tractor (45.001-45,000)	GT262 Tractor (45,001- )	GT275 Tractor (45,001- )	GT225 Tractor (010,001- )	GT235 Tractor (10,001-110,000)	GT235 Tractor (110,001- )	GT235 EOE Tractor (060,001-)	GT245 Tractor (110,001-110,000)	325 Tractor (010,001- )	335 Tractor (010,001- )	345 Tractor (010,001- )		GX255 Tractor (120,001- )	GX325 Tractor (105,001- )	GX335 Tractor (120,001- 120,000)	GX345 Tractor (105,001-120,000)	GX345 Tractor (120,001- )	GX355 Tractor (105,001-120,000)	GX355 Tractor (120,001- )									
	P		P	P	P 1	PF	P	P	P	P		P	P	P	P	P	P					Ī									Tricycler <sup>TM</sup> Mulching Attachment (38-in. 2-Spindle Side-Discharge Mower) (A)	e	BM17921
X	XΣ	X X	X	X	X	XX	X	X	X	X		X	X	X	X	X	X														Tricycler <sup>TM</sup> Mulching Attachment (38-in. 2-Spindle Side-Discharge Mower) (A)	е	BM19322
									X	X		X	X						XΣ	ζ.	X		X								42-in. Mulching Attachment w/Mulching Blade (42C Mower)	S	BM20008
									X	X		X	X																		Front Blowout Baffle for 42C Mower		BM20505
X	X	XX	X																												Tricycler Mulching Kit (Fits 46-in. Mowers with Hinged Discharge Deflector)	h	BM19321
X	X	XX	X	X	X	XX	X	X	X	X		X	X	X	X	X	X														Tricycler <sup>TM</sup> Mulching Attachment (48-in. Side-Discharge Mower) (A)	;-	BM17868
									X	X	X	X	X X	X	X	X	X	X :	X	X	X	X	X	X							Mulching Attachment (48C Convertible Mower) (A	)	BM19868
									X	X		X	X	X	X	X	X														Tricycler <sup>TM</sup> Mulching Attachment (54-in. Side-Discharge Mower) (A)	;-	BM17869
											X	X	X					X					X	X							Mulching Attachment (54C Convertible Mower) (A		BM20827
		XX		X	X	XX	X	X	X	X				X	X	X	X	-	X	ζ.	X		X								Leaf Mulcher (38-in. 2-Spindle Side-Discharg Mower) (B)	e	AM10384
X	X	X X	X																												Leaf Mulcher (46-in. Side-Discharge Mower)		AM34455
X	ХХ	XX	X	X	X	XX	X	X	X	X		X	X	X	X	X	X		XΣ	ζ	X		X								Leaf Mulcher (48-in. Side-Discharge Mower)		AM115362
$\frac{1}{2}$																																	
700	. (V)	) 4+	tach	mont	. 121/12	1hor	car	ha c	orde	rad	(P)	Λ +	tach	mort	nun	abar	not	avai	labl	a fre	f.	anto		how	0110	atto	, ahm	ant v	niah	t ha	able to be built from parts stock. Blank - Attachment not a	nnliaghla ta	the machine

<sup>(</sup>A) - Tractor must have a seat safety switch in good working order.
(B) - AM103841 includes 1-M72487 Plate, Mulcher; 2-3H2272 Bolt, Round Head, Short Square Neck; and 2-14H819 Nut, Forged Wing.

																SN	OV	V T	ΉΙ	RO	WE	ERS	;					
										TR	ACT	OR													EQUIPMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER
240 Tractor (475,001- ) 245 Tractor (150,001- ) 260 Tractor (475,001-130,000) 265 Tractor (475,001- )	285 Tractor (475,001-130,000)	320 Tractor (130,001- ) GT242 Tractor (25,001-45,000)	GT262 Tractor (010,001-45,000)	G1242 Iractor (45,001- ) GT262 Tractor (45,001- )	GT275 Tractor (45,001- )	GT225 Tractor (010,001- )	GT235 Tractor (10,001-110,000)	GT235 EOE Tractor (060,001-)	GT245 Tractor (060,001-110,000)	Ξ	325 Tractor (010,001- )		355D Tractor (010,001- )	GX255 Tractor (120,001- )	GX325 Tractor (105,001- )	Fractor (120,001	GX345 Tractor (105,001-120,000)	GX345 Tractor (120,001- )	Tractor	GX355 Tractor (120,001- )								
		P P	]	P P	P																				38-in. Snow Thrower (B)	2462M	BM17316	(010,001- )
P P P	P		P							]	P P	P	P	]	P F	)	P		P						42-in. Snow Thrower (A, C)	3250M	BM16728	(575,001-130,000)
P P P	P		P							]	P P	P	P	]	P F	)	P		P						42-in. SnowThrower (D)	3251M	BM18187	(130,000-170,000)
X X X X	X	XX	X	XX	X	X	XX	X	X	X	X X	X	X	X	X	X	X	X	X	X					42-in. Snow Thrower (D)	3252M	BM18789	(200,001-)
X X X X	X																								Manual Lift Assist Kit (E)		BM16732	
		P P	Pl	P P	P	P	P	P	P	]	P P	P	P	]	P F	)	P		P						Electric Spout Rotation Kit		BM16952	
P P P		_		_			P	P	P	]	P P			]	P F	)	P		P						Electric Spout Rotation Kit		BM18511	
X X X X	X :	X X	X	XX	X	X	XΣ	X	X	X	XX	X	X	X	X	X	X	X	X	X					Electric Spout Rotation Kit		BM19867	
x x x x	X	XX	X	XX	X	X	XX	X	X	X	$X \mid X$	X	X	X	X	X	X	X	X	X					Wear Plate		M95030	
X X X X	X	XX	X	XX	X	X	XX	X	X	X	XX	X	X	X	XX	X	X	X	X	X					Drift Blade		M88984	

<sup>(</sup>A) - Requires Tractor Front Implement Lift Kit, BM16733 for 240-320; BM18126 for 325, 335, 345, 355D. BM16732 Manual Lift Assist Kit is recommended for 240, 260, 265, 285 Tractors.

<sup>(</sup>B) - BM16980 Mounting Kit is required for GT Series Tractors.

<sup>(</sup>C) - Requires M121348 Sway Bar, M120898 Bracket, (2) M84972 Clip Nuts, (2) 19M7077 Bolts for use on 325, 335, 345, 355D Tractors.

<sup>(</sup>D) - Requires BM18977 Front Implement Lift Kit and BM19215 Attaching Parts for GT Tractors. Requires BM19996 Front Implement Lift Kit and BM19216 Attaching Parts for 325-355D Tractors. In addition GT242, GT262, GT275 require 2- M132142 Brackets, 4- 19M7285 Bolts, 4- 14M7466 Nuts. 240-285, 320 requires BM16733 Front Implement Lift Kit, BM19216 Attaching Parts and 1-M137636 Bracket, 2-03M7190 Bolts, 2-19M7866 Bolts and 6-24M7053 Washers. 240 with 38-in. mower may require 1-M71193 RH Lift Stop, 1-M71194 LH Lift Stop, 4-03M7190 Bolts, 4-14M7296 Nuts.

<sup>(</sup>E) - Reduces manual lift effort when used on 240-285 Tractors from 50 lb. to 25 lb., only for 42-in. snow throwers with serial number prefix M03250X and M03251X.

																				BL	AC	ES	3									
														TF	ACT	OR												EQUIPMENT/ATTACH- MENT	CODE	NUMBER	ATTACH. SE	ER.
240 Tractor (475,001- )	245 Tractor (150,001- )	260 Tractor (475,001-130,000)		285 Tractor (475,001-130,000)	GT242 Tractor (25.001-45.000)	GT262 Tractor (010,001-45,000)	GT242 Tractor (45,001- )	GT262 Tractor (45,001- )	GT275 Tractor (45,001- )	GT225 Tractor (010,001- )	G1235 Tractor (10,001-110,000)	GT235 EOE Tractor (060,001-)	GT245 Tractor (060,001-110,000)	GT245 Tractor (110,001- )	325 Tractor (010,001-	345 Tractor (010,001- )	355D Tractor (010,001-		GX325 Tractor (105,001- )	GX335 Tractor (105,001-120,000)	GX335 Tractor (120,001- )	GX345 Tractor (105,001-120,000)	GX345 Tractor (120,001- )	GX355 Tractor (105,001-120,000)	GX355 Tractor (120,001- )							
P	P	P		P		P										P P	P											46-in. Front Blade (B, C)	3270M	BM16730	(575,001-	)
P	P	P	P	P		P									P :	P P	P											48-in. Front Blade (B) (E)	3480M	BM18130		·
				]	P																							42-in. Front Blade	2691M	BM16981	(010,001-	)
					P		P	P	P	P	P	P	P															42-in. Front Blade (F)	2692M	BM18176		·
				]	PP		P	P	P	P	P	P	P															42-in. Front Blade		BM19414		
				2	XX		X	X	X	X	X	X	X															44-in. Front Blade	9560M	BM20915		
				2	XX		X	X		X		XX	X	X				X										44-in. Front Blade (A)	9561M	BM21342		
X	X	X	X	X	XX	X				X :					X	XX	X	X	X	X	X	X	X	X	X			48-in. Front Blade (G)	3481M	BM19415	(050,001-	)
										X :			X															Lift Kit		BM18977		·
											2	X		X			1	X										Lift Kit, 48" Front Blade		BM21337		
			İ																X	X	X	X	X	X	X			Lift Kit		BM20781		
										X :	X	X	X				1											Attaching Parts		BM19217		
										X :	X	XX	X	X			1	X										Attaching Parts, 48" Blade		BM21340		
X	X	X	X	X	X										X	XX	X		X	X	X	X	X	X	X			Attaching Parts, 48" Blade		BM19218		
P		P		P		P										P P			P			P		P				Manual Angle Kit (D)		BM16731		
P				P		P									P :	P P	P		P	P		P		P				Manual Angle Kit		BM18278		
X	X	X	X :	X	XX	X	X	X	X	X	X	X	X		X	XX	X		X	X		X		X				Manual Angle Kit (H)		BM19481		
			X							X	X	XX	X	X	X	XX	X	X	X	X	X	X	X	X	X			Manual Angle Kit (H)		BM21341		

- (A) Blade Retro Kit needed to install BM NEW 44-in. Front Blade on 2003 and prior GT Tractors.
- (B) Requires Tractor Front Implement Lift Kit (BM16733 for 240-285, 320; BM19996 for 325, 335, 345, 355D)
- (C) Requires M121208 Sway Bar for use on 325, 335, 345, 355D Tractors.
- (D) Requires M120898 Bracket, (2) M84972 Clip Nuts, (2) 19M7077 Bolts for use on 325, 335, 345, 355D Tractors.
- (E) 325, 335, 345, 355D (070,001-) require 2-M119562 Bolt, 2-M119563 Spacer.
- (F) GT225, GT235 possible interference blade A-frame lift arm to tractor hood. Bend A-frame lift arm outward to avoid contact with hood.
- (G) Requires BM18977 Front Implement Lift Kit and BM19217 Attaching Parts for GT Tractors. In addition GT242, GT262, GT275 require 2-M132142 Brackets, 4-19M7285 Bolts and 4-14M7466 Nuts. Requires BM19996 Front Implement Lift Kit and BM19218 Attaching Parts for 325-355D Tractors. Requires BM16733 Front Implement Lift Kit, BM19218 Attaching Parts and 6-24M7053 Washers for 240-285, 320. BM19481 Manual Angling Kit available. When installing front implement lift kit on 240 with 38 mower, may require one each of M71193 Lift Stop, M71194 Lift Stop, and four each of 03M7190 Bolt and 14M7296 Nut.
- (H) 240-285, 320 require 1-AM103783 Bracket, 1-19M7866 Bolt, 1-14M7396 Nut.

																						R	20	TΑ	R'	Υ.	TI	LLE	ΕR	S	ΑN	ID	U٦	TILITY CARTS			
															TR	AC	то	R																EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACHMENT SERIAL NUMBER
240 Tractor (475,001- )	260 Tractor				GT242 Tractor (25,001-45,000)	GT262 Tractor (010,001-45,000)	G1242 Iractor (45,001- )	G1262 Iractor (45,001- )	GT225 Tracker (45,001-	GT225 Tractor (010,001-	G1235 Tractor (10,001-110,000)	GIZ35 Hactol (110,001-	G1235 EUE Iractor (060,001-)	G1245 Tractor (060,001-110,000)	G1245   ractor (110,001- )	325 Tractor (010,001- )	335 Tractor (010,001- )	345 Tractor (010,001- )	SSSD Tractor (U10,001- )	GAZ33 Iractor (120,001- )	GX325 Tractor (105,001- )	GX335 Tractor (120 001-	6X345 Tractor (105,001-100,000)	6X345 Tractor (120,001-	GX355 Tractor (105 001-120 000)	00000   (100,001-120,000)	GX355 Iractor (120,001- )										
F	P		P																															30-in. Mech. Drive Tiller	3260M	BM16729	(575,001-100,000)
P F	P		P															P :																30-in. Mech. Drive Tiller (A)	3261M	BM17595	(110,001-)
PF	P	P	P	P	P	P	P ]	PΙ										P .																30-in. Mech. Drive Tiller (B)	3262M	BM18332	
XX	X	X	X	X	X	$\mathbf{X}$	X	X X	X	X	X	X	X	X	X	X :	X	X	X Z	$X \mid X$	X Z	X	X	X	X	<b>X</b> :	X							30-in. Mech. Drive Tiller (C)	3264M	BM20030	
										P	P	]	P 1	P																				Lift Arm Kit		BM19872	
					X	X Z	X	XΣ																										Lift Arm Kit		BM20325	
									2	X	X	X	X	X	X				-	X														Lift Arm Kit		BM21343	
XX	X	X	X	X														X Z			X	X	X	X	X	<b>X</b> :	X							Lift Arm Kit		BM20325	
																P	P	P :	P															42-in. Hydraulic Tiller	4380M	BM18828	(010,001-)
																P	P	P :	P															42-in. Hydraulic Tiller	4381M		
																					P 1			P	I									42-in. Hydraulic Tiller	4382M		
										floor		floor		floor				X												floor				42-in. Hydraulic Tiller	4383M	BM20895	
															3	X	X	X	X :	X	X	X	X 2	X	X	X :	X							Adjustable Skid Shoes (42-in. Hyd. Tiller)		BM19406	
P F			P																															7 Utility Cart		BM17572	
P F			P																															10 Utility Cart		BM17573	
P F	P	P	P	P	P	P	P ]	PΙ	? ]	P I	PΙ	P ]	P ]	P I	<b>P</b> 1	P	P	P :	P :	P :	P 1	P I	? ]	P ]	P	P :	P							8HD Utility Cart (Heavy-Duty)		BM17575	
ХΣ	X	X	X	X	X	X :	X Z	XΣ	X 2	X	X X	X	X	X	X Z	X :	X	X Z	X :	X Z	X X	XΣ	X 2	X	X	<b>X</b> :	X							10S Utility Cart		SKU21511	
ΧХ	X	X	X	X	X	X :	X Z	XΣ	X Z	X	X X	X	X Z	X	X Z	X :	X	X Z	X :	X Z	X X	XΣ	X 2	X	X	<b>X</b> :	X							16S Utility Cart		SKU21512	
ХХ	X	X	X	X	X	X :	X Z	XΣ	X 2	X	X	X Z	X Z	X	X Z	X :	X	X Z	X I	X Z	X Z	X X	X 2	X Z	X X	<b>X</b> :	X							10P "Poly" Utility Cart		SKU21513	
ХХ	X	X	X	X	X	X I	X	XΣ	X 2	X	X X	X	X	X X	X Z	X :	X	X Z	X :	X	X	X	X 2	X	X	X :	X			T				13 Utility Cart		SKU21514	

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.

<sup>(</sup>A) - Requires M119561 Lift Rod for use on 325-355D Tractors.

<sup>(</sup>B) - Requires AM122473 Lift Arm, (1) 24H1271 Washer and (2) M96916 Pins or BM20242 Lift Arm Kit to fit GT242, GT262, GT275 Tractors. Requires M72234 Lift Rod for use on 240-285, 320 Tractors.

<sup>(</sup>C) - Requires BM19872 Lift Arm Kit for GT225, GT235, GT235EOE, GT245. Use on GT242, GT262, GT275 Tractors requires BM20242 Lift Arm Kit and ONE of each of the following parts: T25653 Pin, M40461 Spring Lock Pin, M72233 Lift Plate, M72234 Lift Rod, M88183 Lock Ring, 24M7047 Washer. 325, 335, 345, 355D, and GX Series require BM20325 Lift Arm.

										FF	ROI	NT	TH	TAI	CH	ΗE	RS	, T	RA	C.	ГО	R	TR	UN	IK,	, SI	PRAYERS, TOV	V-E	BEHIND ATTACHMENTS			
														T	RAC	СТС	OR												EQUIPMENT/ATTACHMENT	CODE	NUMBER	ATTACH- MENT SN
240 Tractor (475,001- )	245 Tractor (150,001- )	260 Tractor (475,001-130,000) 265 Tractor (475.001- )	285 Tractor (475,001-130,000)	320 Tractor (130,001- )	GT242 Tractor (25,001-45,000)	GT262 Tractor (010,001-45,000)	GT242 Tractor (45,001- )	GI262 Iractor (45,001- )	GT225 Tractor (010.001- )	GT235 Tractor (10.001-110.000)	GT235 Tractor (110,001-	GT235 EOE Tractor (060,001-)	GT245 Tractor (060,001-110,000)	GT245 Tractor (110,001- )	325 Tractor (010,001- )	335 Tractor (010,001- )	345 Tractor (010,001- )	355D Tractor (010,001- )	GX255 Tractor (120,001- )	GX325 Tractor (105,001- )	GX335 Tractor (105,001-120,000)	GX335 Tractor (120,001- )	GX345 Tractor (105,001-120,000)	GX345 Tractor (120,001- )	GX355 Tractor (105,001-120,000)	GX355 Tractor (120,001- )						
X	_		X	X				Δ   2	<b>\</b>   <i>A</i>	LΔ	$\mathbf{A} \mid \mathbf{A}$			X	X		X			X	X	X	X	X	X	X			38-in. Thatcher		TY13056	
X			X		X	X	X	XΣ	X	X	X	X	X	X					X	X	X	X	X	X	X	X			8-in. Thatcher Tine Extension		TY13036	
X	X :	X	X			X									X			X											Thatcher Mounting Frame		BM18350	
						Ī									X	X	X	X		X	X	X	X	X	X	X			Thatcher Mounting Frame		BM20760	
				X	X	Ī	X	ХΣ	K																				Thatcher Mounting Frame		BM17336	
									X	X	X	X	X	X					X										Thatcher Mounting Frame		BM19510	
X	X :	XX	X		X	X	X	XΣ	X	X	X			X			X	X	X	X	X	X	X	X		X			2 cu. ft. Tractor Trunk (A)		BM19210	
X	X :	X X		X	X			XX				X	X	X	X	X	X	X	X	X	X	X	X	X		X			Tractor Trunk Mounting Kit		BM19211	
X	X :	X X	X	X			X	XΣ	X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X			15 Gal. Tractor Trunk Sprayer (B)		BM19554	
P	P	P P	P	P	P	P	P 1	P I	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P			15 Gallon Sprayer, integral mountings		BM22219	
-	P	P P	P	P	P	P		P I	P			P	P	P	P	P	P	P	P	P	P	P	P	P	P	P			15 Gal. Sprayer, less mounting parts		BM22367	
P	P	P P						P I							P	P		P	P	P	P	_	P	P	P	P			Integral Mounting for 15 Sprayer		BM22369	
P	- 1	P P			P			P I		P										P		P		_		P			Wheel Kit for 15 Sprayer		BM22355	
P	P	P P	P		P			P I						P				P	P	P	P	P	P	P	P	P			15 Gal. Sprayer (2-wheel)		BM18472	
P	P	P P	P	P				P I		P				P			P	P	P	P	P	P	P	P	P	P			25 Gal. Sprayer (2-wheel)		BM18473	
X	X :	X X	X	X				XX						X				X				X		X	X	X			15 Gal. Sprayer (2-wheel)		BM19478	
	<b>X</b> :		X					X						X								X	X	X		X			25 Gal. sprayer (2-wheel)		BM19479	
X	X :	X X	X	X				XΣ				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			25 Gal. Portable Sprayer (No wheels)		BM19490	
X	X :	X X	XX	X	X	X	X	XΣ	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			40 Gal. Sprayer (2-wheel)		BM20485	
X	X :	XX	X	X	X	X	X	ХΣ	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			40-in. Tow-Behind Thatcherator (C)		BM19239	
X	X :	X X					X	ΧХ		X		X					X			X		X	X	X	X				40-in. Tow-Behind Spiker Aerator		BM19240	
X	X :	XX			X		X	XΣ		X							X							X		X			40-in. Tow-Behind Plug Aerator		BM19241	
X		XX		X	X			ХΣ		X							X					X				X			48-in. Tow-Behind Plug Aerator		BM19845	
	X :		X											X				X						X		X			40-in. Tow-Behind Aerator/Spreader		BM19242	
X	X :	XX	X	X	X	X	X	ХΣ	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X			36-in. Tow-Behind Lawn Roller		BM19243	

<sup>(</sup>A) - Requires BM19211 Mounting Parts.

<sup>(</sup>B) - Requires BM19210 Two Cu. Ft. Tractor Trunk And BM19211 Mounting Parts (C) - TY13036 Thatcher Tine Extension available.

																				σ,	V V L				11/	10	<b>\</b> L.	<u> </u>	,,,,,			CHAINS		INIIMBED
		-		-							1 -	1	1	1 -		RAC	JIC	K	-		1-											ATTACHMENT		NUMBER
240 Tractor (475,001- )	245 Tractor (150,001- )	260 Tractor (475,001-130,000)	265 Tractor (475,001- )		GT242 Tractor (25,001-45,000)		320 Tractor (130,001- )		G1262 Hactor (45,001- )	CT225 Tractor (010,001- )	GT235 Tractor (010,001-110,000)	GT235 Tractor (010,001- )	GT235 EOE Tractor (060,001-)	GT245 Tractor (060,001-110,000)	GT245 Tractor (010,001- )	325 Tractor (010,001- )	335 Tractor (010,001- )	345 Tractor (010,001- )		GX255 Tractor (120,001- )						00000 Hactor (100,001-120,000)	GASSS ITACIOI (IZU,UUI- )							
X	X	X	X	X	X	X :	XΣ	X	<b>Y</b>	L A	1 1	\ A	.   1	X	X	X	X	X	X	X	<b>X Y</b>	X	X		<b>(</b> )	X	ζ.					Quik-Tatch Weight (42 lb.)		R66949
P	P	P	P	P	P	P	P F	) F	) F	P	P	P	P	P	P	P	P	P	P	PΙ	) I	) F	P	) F	) I	PI	)					42 lb. Quik-Tatch Weight (Qty.	12)	RFR66949
	P	P	P	P	P	P	P F	P	PF	P	P	P	P					P		P I	P	P	P	P	P	PI						Front Wheel Weight (A)		AM104094, BM16136 or M84064
					P																											Front Wheel Weight		M78525
			P				P F																									30 lb. Wheel Weight (Qty. 1) (B		BM17970
			X			X :	XΣ	X	X	X	X	X	X	X	X	X	X	X	X	X	X 2	X	X	X	X >	X	ζ.					30 lb. Wheel Weight (Qty. 1) (B		BM17964
X	X	X	X	X		X :	XX	X	X	X	X	X	X	X	X	X	X	X	X	X	X 2	X	X	X	X >	X	ζ.					Mounting Hardware (1 front wh		BM17978
					X																											35 lb. Front Wheel Weight (Qty.	1) (B)	BM17962
P	P	P	P	P	P	P	P F	PF	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	PI						Rear Wheel Weights (C)		AM104092, BM1502 or M11028(A)
P							PΕ													PΙ	) I	P	P	F	P	PI	)					Two Rear Wheel Weights (C)		BM15181
							P F													PΙ						PI						Four Rear Wheel Weights (D)		BM15182
X	X	X	X	X	X	X :	ХХ	X	X	X	X	X	X	X	X	X	X	X	X	X	ζ Σ	X	X	X	ζ Σ	X	ζ.					50 lb. Cast-Iron Wheel Weigh (D)	t (Qty. 1)	BM17972
X	X	X	X	X	X	X :	ХХ	X	X	X	X	X	X	X	X	X	X	X	X	X	ζ Σ	X	X	X	ζ Σ	X	ζ					Mounting Hardware (50 lb./2) or 24x12-12)		BM17985
		P	P	P	P	P	P F	) F	) F	P	P	' P	P	P	P	P	P	P		PΙ						PI	)					Rear Wheel Weight (Plastic) (75		BM16057
P	P	P	P	P	P	P	P F	P	PF	P	P	P	P	P	P	P	P	P	P	P	P	P	P	' F	P	PI	)					Rear Wheel Weight (Plastic) (75		AM104097 or BM16239
X	X	X	X	X	X	X	XX	X	X	X	X	X	X	X	X	X	X	X	X	X	Χ Σ	X	X	X	ζ Σ	X	ζ .					50 lb. Plastic Wheel Weight Includes Mounting Hardware	(Qty. 1	BM17976
1	1		1		X	X	У	X	X			$\top$			$I^-$						$\top$								$\top$			Front Weight Bracket/Bumper		BM17727
1	1		1						$\top$		X	X	X	X	X					X	$\top$								$\top$			Front Weight Bracket/Bumper		BM19511
P	P	P	P	P	P	P	P	1	1	1		1	1		1				1		1		1		1		1		1	1	$\Box$	Tire Chains (23x10.50-12 Tire)		AM31825
					P			+	+	+	T	+	+	+	$\vdash$					+	+	+	+	+	+	+	+		+	+	H	Tire Chains (23x10.50-12 Tire)		TY15267
- 1					X			+	+	+	+	+	-		1				-	+	+			+	+			++	+	+		Tire Chains (23 x 10.50-12 Tire)	)	TY15845
							X X	7 3	7 3	X	X	X	Y	Y	Y	X	X	X	X	X	7 3	7 3	X	7 3	7 3	X 3	7	$\vdash$	+	-		Tire Chains (23 x 10.50-12 Tire		TY15956
4 <b>1</b>	4 <b>h</b>	4 1	<b>4</b> 1	<b>4 1</b>	<b>4 h</b>	. 1	1 2	1	1 Z	1	23	X			X		<b>/1</b>	11		X	1	<u>λ</u> Σ		X	7 7	<u> </u>	7	$\vdash$	+		$\vdash$	Tire Chains (24x12-12)	*	TY24328

- (A) Requires AM105142 wheel weight mounting hardware kit
- (B) Requires BM17978 wheel weight mounting hardware kit.
- (C) Requires AM105139 wheel weight mounting hardware kit for each wheel.
- (D) Requires BM17985 wheel weight mounting hardware kit, or requires BM17977 mounting hardware for attaching TWO 50 lb. weights to one wheel.

													FR	ON	T	BUI	ИP	ER	S, L	.IF	T K	(IT	S,	IN	TE	GF	RAI	_ H	HTC	HE	S,	A١	ID	LIC	SHT KITS	
																TR	AC	TOF	₹ .																ATTACHMENT	NUMBER
240 Tractor (475,001-130,000)	240 Tractor (130,001- )	245 Tractor (150,001- )	260 Tractor (475,001-130,000)	265 Tractor (475,001- )	285 Tractor (475,001-130,000)	GT242 Tractor (25,001-45,000)	GT262 Tractor (010,001-45,000)	320 Tractor (130,001- )	GT242 Tractor (45,001- )	GT262 Tractor (45,001-	GT275 Tractor (45,001- )	GT225 Tractor (010,001- )	GT235 Tractor (010,001-110,000)	GT235 Tractor (010,001- )	G1235 EUE Iractor (060,001-)	GT245 Tractor (040 001-110,000)	325 Tractor (010,001- )		345 Tractor (010,001- )	355D Tractor (010,001- )	GX255 Tractor (120,001- )	GX325 Tractor (105,001- )	GX335 Tractor (105,001-120,000)	GX335 Tractor (120,001- )	GX345 Tractor (105,001-120,000)	GX345 Tractor (120,001- )	GX355 Tractor (105,001-120,000)	GX355 Tractor (120,001- )								
												X	X	X	X	X					X														Front Bumper (LX, GT)	BM20820
																	X	X	X	X		X	X	X	X	X	X	X							Front Bumper (300 Series)	BM20821
X	X	X	X	X	X			X																											Front Lift Kit (Bld/Snow Thrower)	BM16733
																	P	P	P	P		P	P		P		P								Front Lift Kit (Bld/Snow Thrower) (A)	BM18126
																	X	X	X	X															Front Lift Kit (Bld/Snow Thrower) (C)	BM19996
																						X	X	X	X	X	X	X							Front Lift Kit (Bld/Snow Thrower) (C)	BM20781
					,	X	X		X	X	X	X	X	3	X	Κ																			Front Lift Kit (Bld/Snow Thrower) (B)	BM18977
														X		Х					X														Front Lift Kit (Bld/Snow Thrower)	BM21337
												P	P	1	P ]	2																			Attaching Parts (Snow Thrower)	BM19215
												X	X	X	X	X					X														Attaching Parts (Snow Thrower)	BM21339
							Ì		ĺ											Ī	1	X	X	X	X	X	X	X							Attaching Parts (Snow Thrower)	BM19216
P		P	P	P	P			P																											Integral Hitch	BM16735
P	_	P	_	P	P			P									İ																		Integral Hitch	BM17600
X	X	X	X	X	X	X	X :	X :	X	X	X	X	X	X	X Z	X	X	X	X	X	X	X	X	X	X	X	X	X							Integral Hitch	BM17626
															X Z						X						X	X							Work Light Kit	BM17981
												X	X	X	X Z						X		X	X	X	X	X	X							Halogen Headlight Kit (D)	BM21289
												ĺ																								

<sup>(</sup>A) - To use on 325-355D Tractors above S.N. 70,000, order M140122 Lift Strap or see SIB 99-11-45-4 to modify the lift strap. To use on GX325, GX335, GX345, GX355 order M143751 Lift Strap.

<sup>(</sup>B) - GT242, GT262, GT275 require 2- M132142 Brackets, 4-19M7285 Bolts, 4-14M7466 Nuts.

<sup>(</sup>C) - To use BM19996 Lift Kit on GX325, GX335, GX345, GX355, order M143751 Lift Strap; for use on 325, 335, 345, 355 below SN 70,000, order M118072 Lift Strap. To use BM20781 Lift Kit on 325, 335, 345, 355, order M140122 Lift Strap if tractor is above SN 70,000; order M118072 Lift Strap if SN is below 70,000.

<sup>(</sup>D) - Requires AM30988 Fuse.

											V	VE,	ΑT	HE	ER					UR	ES	3, 1	ſR.	AC	T	)R	C	٥v	'ER	RS,	AN	ID I	MI	SC	EL	LANEOUS ATTACHMENTS	
																TI	RA	CTO	OR																	ATTACHMENT	NUMBER
240 Tractor (475,001-130,000)	245 Tractor (150,001- )			285 Tractor (475,001-130,000)	GT242 Tractor (25,001-48,000)	GT242 Tractor (48,001-	GT262 Tractor (010,001-48,-000)	GT262 Tractor (48,001- )	320 Tractor (130,001- )	GT275 Tractor (45,001- )	GT225 Tractor (010,001- )	GT235 Tractor (010,001-110,000)	GT235 Tractor (010,001- )	GT235 FOF Tractor (060 001-)	G1233 EOE 11actol (060,001-)	G1243 Iractor (080,001-110,000)	G1245 Iractor (010,001- )	325 Tractor (010,001- )	335 Tractor (010,001- )	345 Tractor (010,001- )	355D Tractor (010,001-	GX255 Tractor (120,001- )	GX325 Tractor (105,001- )	GX335 Tractor (105,001-120,000)	GX335 Tractor (120,001- )	GX345 Tractor (105,001-120,000)	GX345 Tractor (120,001- )	GX355 Tractor (105,001-120,000)	GX355 Tractor (120,001- )								
P	P	P	P	P				]	P																											Weather Enclosure	TY15621
					P	I	2			P																										Weather Enclosure	TY15995
					P	I	2			P	P	P	P	P	P	P	,				]	)														Weather Enclosure w/Soft Panel Door	TY16188
																	F	) I	) I	)	)	I	)	P	P	P	P	P	P							Weather Enclosure w/Soft Panel Door	TY16180
											P	P		P	P	,																				Weather Enclosure w/Soft Panel Door	TY24857
																	F	) I	) I	)	)	I	)	P	P	P	P	P	P							Weather Enclosure w/Hard Door	TY24474
X	X	X	X	X	X	X	XΣ	ζ )	X :	X	X	X	X	X	X	X	χ Σ	<b>X</b> 2	X 2	X	X	ζ 2	X :	X	X	X	X	X	X							Protective Cover	AM31711
X	X	X	X	X	X	X	XΣ	ζ )	X :	X	X	X	X	X	X	X	χ Σ	<b>X</b> 2	X 2	X	X	ζ 2	X :	X	X	X		X								Economy Protective Cover	M131120
								1				X									_	ζ.												1		Forward/Reverse Hand Control Kit	BM19690
					X	X																T														Spark Arrester Screen for Muffler	AM108146
											X	X		X	X																					Spark Arrester Screen for Muffler	AM123168
						2	X X	ζ .		X							Σ	X 2	X			2	X :	X												Spark Arrester Screen for Muffler (A)	AM115837
X	X	X	X														Σ	ζ.																		Spark Arrester Screen for Muffler (A)	AM115838
				X				2	X										2	X	X	T				X		X								Spark Arrester Screen for Muffler	AM103386
		P	P																			T														Spark Arrester Screen for Muffler	AM103127
				P																																Spark Arrester Screen for Muffler	AM103126
X	X	X	X	X	X	X	XΣ	( )	X :	X	X	X	X	X	X	X					X 2	<b>X</b> 2	X :	X	X	X	X	X	X							Battery Charger	AM36786
X	X	X	X	X	X	X	X	( )	X :	X							Σ	X 2	X	X	X															Hourmeter, Round	AM103392
											X	X																								Hourmeter, Rectangular	AM128087
											X	X	X	X	X	X	( )	( )	X	X [	X	<b>X</b> 2	X :	X	X	X	X	X	X							Poly-Foam Seat Spring (B)	M127973
											X	X	X	X	X	X	X	X 2	X	X	X	<b>X</b> 2	X :	X	X	X	X		X							Umbrella	TY16110
X	X	X	X				X X			X	X	X		X		X		X :		X		X .		X	X	X	X	X								Front Wheel Cover, 8-in., Chrome	M42183
X	X	X			X				X :		X	X				X				X		X		X		X		X								Rear Wheel Cover, 12-in., Chrome	M42184
X	X	X			X				X :		X			X		X						X .			X			X								Front Wheel Cover, 8-in., Yellow Plastic	M96337
X	X	X			X				X :			X		X		X									X	_		X								Rear Wheel Cover, 12-in., Yellow Plastic	M114663
X	X		X						X :							X							X :		X			X								Front Wheel Cover, 8-in., Chrome w/JD logo	M150362
X	X	X	X	X	X	X X	XΣ	( )	Χ.	X	X	X	X	X	X	X	Σ	( )	X	X	X	X 2	Χ.	X	X	X	X	X	X							Rear Wheel Cover, 12-in., Chrome w/JD logo	M150364

Key: (X) - Attachment number can be ordered. (P) - Attachment number not available from factory; however, attachment might be able to be built from parts stock. Blank - Attachment not applicable to the machine.

(A) - 325 (-70,000) with FC540V Engine requires AM115838 Spark Arrester; 325 (70,001-) with FH531V Engine requires AM115838 Spark Arrester.

(B) - A total of four springs can be installed to adjust for operator comfort.